




Elevate Your Space with 600X600MM Art of Matte TILES



APPLICATION



COMMERCIAL
BUILDING



HOTEL &
RESTAURANT



GYMNASIUM



HALL &
CORRIDOR



AIRPORT



SCHOOL &
COLLEGE



INDUSTRY



SPA & WELLNESS
CENTRES



TIME CERAMICS(PRIVATE)LIMITED

MATTE COLLECTION

FEATURES

600X600MM



VERSILE STOCK/SETART PART TYPE



LOW OVER LIFE COST WITHIN



EASY TO CLEAN: SOAK, SCRUB, AND SALT RESISTANT



EASY TO STAIN



FROST PROOF



VIRTUALLY NO MAINTENANCE



EASY TO CLEAN



SAFE TO STEAL



VERSABLE INSTALLATION APPLICATIONS



HEAT RESISTANT UP

**Let
Your
Space
EMANATE
Elegant
with
SUBTLE
MATTE
Décor**

Introducing Our New Matte Tile Collection

Experience elegance and sophistication with our latest Matte Tile Collection, crafted to add a modern yet timeless appeal to any space. With a refined finish and versatile designs, each tile brings durability and a touch of luxury to your interiors. Explore a blend of style and practicality that's perfect for contemporary homes and commercial settings alike.

600X600MM 



600X600


PORCELAIN TILE

MATTE FINISH

Y6000




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6000



VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6006



TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6006

VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6019




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6019



VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6036




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6036



VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT




FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6037



TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6037



VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6038




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6038



VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6040B




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6040B



VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6041M



TIME CERAMICS




MATTE FINISH

PORCELAIN TILE

Y6041M

RELIEF PUNCH



L1

VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT




FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6042M



TIME CERAMICS




MATTE FINISH

PORCELAIN TILE

Y6042M

RELIEF PUNCH



L1

VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT




FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6043M



TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6043M

RELIEF PUNCH



L2

VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6045M



TIME CERAMICS




MATTE FINISH

PORCELAIN TILE

Y6045M

RELIEF PUNCH



L1

VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6046




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6046



VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6047M




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6047M



L2

VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT



600X600


PORCELAIN TILE

MATTE FINISH

Y6048B




TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6048B



VITRIFIED

SIZE:600X600 MM



LIQUID
REPELLENT



STAIN
RESISTANT



SCRATCH
RESISTANT



FIRE
RESISTANT



RESISTANT TO
UV RAYS



IMPACT
RESISTANT



600X600

PORCELAIN TILE

MATTE FINISH

Y6081M



TIME CERAMICS



MATTE FINISH

PORCELAIN TILE

Y6081M



L2

VITRIFIED

SIZE:600X600 MM



LIQUID REPELLENT



STAIN RESISTANT



SCRATCH RESISTANT



FIRE RESISTANT



RESISTANT TO UV RAYS



IMPACT RESISTANT

Technical Specifications - Glaze Polish Porcelain Floor Tiles

| S.No | Technical Characteristics | Required Standards | Time Value | Method of Testing |
|------|--------------------------------|-----------------------------------|-------------------------------------|-------------------|
| 1 | Deviation in Length and Width | ±0.6% | ±0.2% | ISO 10545-2 |
| 2 | Deviation in Thickness | ±5% | ±2% | ISO 10545-2 |
| 3 | Straightness of Sides | ±0.5% | ±0.2% | ISO 10545-2 |
| 4 | Rectangularity (Squareness) | ±0.5% | ±0.2% | ISO 10545-2 |
| 5 | Surface Flatness | ±0.5% | ±0.2% | ISO 10545-2 |
| 6 | Center of Curvature | ±0.5% / -0.3% | ±0.1mm | ISO 10545-2 |
| 7 | Side Curvature | ±0.5% / +2.0mm | ±0.4mm | ISO 10545-2 |
| 8 | Water Absorption | 2-3% | <2% | ISO 10545-3 |
| 9 | Stain Resistance | Class III | Stain easily removed with hot water | ISO 10545-13 |
| 10 | Resistance to Surface Abrasion | Glossy Class III / Matt Class III | Passed | ISO 10545-7 |
| 11 | Crazing Resistance | No Crazing Observed | No Crazing Observed | ISO 10545-11 |
| 12 | Thermal Shock Resistance | No Damage | No Damage | ISO 10545-9 |
| 13 | Bending Strength | Not Less Than 15N/mm ² | Average 45N/mm ² | ISO 10545-4 |
| 14 | Surface Quality | Minimum 95% free of defects | Passed | ISO 10545-6 |



Management System Certification Body No.MSCB-108

CERTIFICATE

No. 24-C-1527 Rev.0

Time Ceramics (Private) Limited

Time Ceramics, Plot # 275, Phase 2, M3 Industrial City,
Faisalabad, Pakistan.

Company Reg. No.: 0114108

has documented and implemented system in compliance with the requirements of

ISO 14001:2015
Environmental Management Systems

for

Sales and Marketing of Ceramic Tile Products

IAF Code: 29

The certificate is issued on the basis of the results mentioned in the pertinent audit report. Validity of the certificate is conditionally limited by positive results of surveillance audits, which the certified company is committed to undergo.

This certificate can be invalid if the certificate holder does not fulfill the conditions set out in the certification agreement.

Initial issue date: May. 24. 2024
Expire date: May. 23. 2027



Tyrone Dyse
Tyrone Dyse

Head of Certification Body



Management System Certification Body No.MSCB-108

CERTIFICATE

No. 24-A-2447 Rev.0

Time Ceramics (Private) Limited

Time Ceramics, Plot # 275, Phase 2, M3 Industrial City,
Faisalabad, Pakistan.

Company Reg. No.: 0114108

has documented and implemented system in compliance with the requirements of

ISO 9001:2015
Quality Management Systems

for

Manufacturing, Sales and Marketing of Ceramic Tile Products

IAF Code: 15, 29

The certificate is issued on the basis of the results mentioned in the pertinent audit report.
Validity of the certificate is conditionally limited by positive results of surveillance audits,
which the certified company is committed to undergo.

This certificate can be invalid if the certificate holder does not fulfill the conditions set out in
the certification agreement.

Initial issue date: Feb. 06. 2024
Expire date: Feb. 05. 2027



Tyrone Dyse
Tyrone Dyse
Head of Certification Body



Management System Certification Body No. MSCB-108

CERTIFICATE

No. 24-O-2233 Rev.0

Time Ceramics (Private) Limited

Time Ceramics, Plot # 275, Phase 2, M3 Industrial City,
Faisalabad, Pakistan.

Company Reg. No.: 0114108

has documented and implemented system in compliance with the requirements of

ISO 45001:2018

Occupational Health and Safety Management Systems

for

Sales and Marketing of Ceramic Tile Products

IAF Code: 29

The certificate is issued on the basis of the results mentioned in the pertinent audit report. Validity of the certificate is conditionally limited by positive results of surveillance audits, which the certified company is committed to undergo.


This certificate can be invalid if the certificate holder does not fulfill the conditions set out in the certification agreement.



Initial issue date: May. 24. 2024
Expire date: May. 23. 2027

Tyrone Dyse
Tyrone Dyse

Head of Certification Body



TURKMENISTAN

UZBEKISTAN

TAJIKISTAN

XINJIANG

AFGHANISTAN

XIZANG

HIMACHAL PRADESH

UTTARAKHAND

PUNJAB

HARYANA

UTTAR PRADESH

RAJASTHAN

MADHYA PRADESH

GUJARAT

GARAGUM DESERT

Mazar-e Sharif

Tirich Mir

Batura Mustaghil

Gilgit

Nanga Parbat

Saidu

Mansehra

Khyber Pass

Kohat

Peshawar

Rawalpindi

Bannu

Kundian

Sargodha

Sialkote

Dera Ismail Khan

Obasta Tsukai

Faisalabad

Lahore

Zhob

Jhang

Kasur

Chaman

Quetta

Dera Ghazi Khan

Multan

Bahawalpur

Ras Koh

BALUCHISTAN

Rahim Yar Khan

Sadiqabad

Larkana

Sukkur

Nawabshah

Hyderabad

Karachi

Turbat

Karachi

Gulf of Oman

Arabian Sea

Muscat

OMAN

Tropic of Cancer

Gulf of Kutch

Amritsar

Phodal

Jabalpur

Dhosi

Muzaffargarh

Rawan

Chandigarh

Delhi

Meerut

Moradabad

Faridkot

Amritsar

Jalandhar

Amritsar



TIME CERAMICS From China to the World: Time Ceramics' Global Expansion Journey

Fujian Province Time Ceramics Group was founded in 1995 and is headquartered in Fujian Province. It is a multinational group of ceramic manufacturing enterprises in China, integrating R&D, production, and sales.

After more than 30 years of continuous transformation and development, the company currently operates four large-scale, intelligent, and environmentally friendly ceramic industrial bases in Nigeria (Africa), Mexico (South America), the Philippines (Southeast Asia), and Pakistan (South Asia), employing over 7,500 people.

Times Group established its Pakistan production base in 2017 as part of China's Belt and Road Economic Strategic Cooperation Corridor. The facility is located at Plot No. 275, Phase 2, M3 Industrial City, Faisalabad, Pakistan, and spans over 100 acres. It is designed to include three fully advanced and environmentally safe kiln manufacturing units.

- The first production unit began operations in October 2018.
- The second production unit began construction in November 2018 and became operational in October 2019.
- The third production unit was scheduled for construction in May 2020 and began production in August 2021.

The product range includes:

- Porcelain Tiles Series: 600x600, 600x900, 800x800, 600x1200, and 750x1500.
- Ceramics Wall Tiles: 250x400, 250x500, 250x550, 225x600, 300x600, 300x900, 450x900, 400x400, 150x900, 525x525.
- Antique, Gold-Plated Tiles: 600x600, 600x1200, and other trending sizes.

The products are exported to many countries and regions, including Southeast Asia, South America, and Africa, where they are highly regarded by customers worldwide.

In terms of manufacturing, the company employs cutting-edge production technologies and management models. It integrates computer-based data management into all aspects of product development and quality control, ensuring scientific, data-driven, and automated management.

Advanced testing facilities, clear job descriptions, SOPs, flexible individual technologies, and additional measures, along with state-of-the-art equipment, ensure high-quality products.

Talent is another core strength of Times Group. The company adheres to the principle of identifying and nurturing talent through well-defined mechanisms and providing opportunities for growth. It encourages each individual to harness their potential in their respective roles, fostering a positive, proactive, and responsible leadership team in both production and sales.

With this ambitious approach, Times Group promotes a dynamic lifestyle, creates a harmonious and sustainable living environment using ceramic materials and design, and shares a high-quality, elegant way of life with those seeking a better living experience.

INNOVATION, PRODUCT QUALITY AND CUSTOMER SERVICE

Style never goes out of fashion and neither has TIME CERAMICS, since its inception in 1995. TIME CERAMICS symbolizes stylized spaces, designs that redefine grandeur and a sense of fashion that is second to none. Our collection of tiles, marble and mosaic, not just match your requirements but come with an assurance of superior quality driven by the best of technology

Time Ceramic is a group of companies, forming the largest tiles manufacturing network. We boast a daily production capacity of 85,000 square meters, translating to a monthly production of 2,550,000 square meters and a staggering 30,600,000 square meters annually.

We offer a diverse range of sizes to cater to your specific needs. As an ISO-certified company, we hold quality in the highest regard.



<https://time-ceramics.com/>

EMAIL:
INFO@TIME-CERAMICS.COM

CONTACT US

TIME CERAMICS LIMITED, PLOT NO.275, PHASE 2, M-3 INDUSTRIAL STATE
FAISALABAD, PUNJAB-38000, PAKISTAN.

